

EAST Search History

10/183200

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7985	(device with storage with protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L2	4631	((storage adj device) with protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L3	316	((storage adj device) with different with protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L4	145	((storage adj devices) with different with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L5	0	L4 and (content with conver\$6) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L6	75	((storage adj devices) with different with protocols) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L7	3	L6 and ((content or media) with conver\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L8	2	L7 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L9	132797	((content or media) with conver\$6) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21

EAST Search History

L10	128	L9 and (storage with devices with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L11	66	L9 and ((storage adj devices) with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L12	21	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L13	0	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) near3 protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L14	21	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L15	133	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with types)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L16	58	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) same protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L17	1	L4 and (content near2 conver\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L18	3	L4 and (content with conver\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L19	4	"20030182593" or "6232541".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21

EAST Search History

L20	2	"20050076388"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L21	2	"20050027740"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L22	49678	(device with storage with (format or type or protocol)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L23	3065	L22 and (conver\$4 with (media or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L24	23	L22 and (conver\$4 with (media or content) with (standard near2 (format or type)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L25	49678	(device with storage with (format or type or protocol)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L26	23	L25 and (conver\$4 with (media or content) with (standard near2 (format or type)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L27	0	L26 and (storage with network with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L28	7141	(storage with network with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L29	16	(storage with network with protocols with content with device with connect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21

EAST Search History

L30	10	(storage with network with protocols with content with device with connect\$3) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L31	0	((storage near2 devices) with (network near2 protocols) with (stor\$4 near2 (according or bas\$3)) same (media or connect\$3)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L32	0	((storage near2 devices) with (network near2 protocols) with (stor\$4 with (according or bas\$3)) same (media or connect\$3)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L33	0	((storage near2 devices) with (network near2 protocols) with according) same (media or connect\$3) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L34	42	((storage near2 devices) with (network near2 protocols)) same (media or connect\$3) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L35	2	"20030154390"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L36	4	"20030163724" or "20030154390"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L37	1	707/104.1.ccls. and ((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) same protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L38	0	713/200.ccls. and ((storage adj devices) with different with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L39	0	713/200.ccls. and ((storage adj devices) with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21

EAST Search History

L40	0	713/193.ccls. and ((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) same protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L41	0	705/51.ccls. and ((storage adj devices) with different with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L42	2	713/193.ccls. and ((storage adj devices) with different with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L43	0	707/10.ccls. and ((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) same protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L44	316	((storage adj device) with different with protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L45	1	707/204.ccls. and ((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) same protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L46	7985	(device with storage with protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L47	4631	((storage adj device) with protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L48	145	((storage adj devices) with different with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L49	0	L48 and (content with conver\$6) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21

EAST Search History

L50	75	((storage adj devices) with different with protocols) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L51	3	L50 and ((content or media) with conver\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L52	2	L51 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L53	132797	((content or media) with conver\$6) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L54	128	L53 and (storage with devices with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L55	66	L53 and ((storage adj devices) with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L56	21	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L57	0	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) near3 protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L58	21	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L59	133	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with types)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21

EAST Search History

L60	58	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) same protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L61	1	L48 and (content near2 conver\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L62	3	L48 and (content with conver\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L63	4	"20030182593" or "6232541".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L64	2	"20050076388"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L65	2	"20050027740"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L66	49678	(device with storage with (format or type or protocol)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L67	3065	L66 and (conver\$4 with (media or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L68	23	L66 and (conver\$4 with (media or content) with (standard near2 (format or type)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L69	49678	(device with storage with (format or type or protocol)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21

EAST Search History

L70	23	L69 and (conver\$4 with (media or content) with (standard near2 (format or type)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L71	0	L70 and (storage with network with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L72	7141	(storage with network with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L73	16	(storage with network with protocols with content with device with connect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L74	10	(storage with network with protocols with content with device with connect\$3) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L75	0	((storage near2 devices) with (network near2 protocols) with (stor\$4 near2 (according or bas\$3)) same (media or connect\$3)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L76	0	((storage near2 devices) with (network near2 protocols) with (stor\$4 with (according or bas\$3)) same (media or connect\$3)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L77	0	((storage near2 devices) with (network near2 protocols) with according) same (media or connect\$3) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L78	42	((storage near2 devices) with (network near2 protocols)) same (media or connect\$3) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L79	2	"20030154390"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21

EAST Search History

L80	4	"20030163724" or "20030154390"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L81	1	707/104.1.ccls. and ((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) same protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L82	0	713/200.ccls. and ((storage adj devices) with different with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L83	0	713/200.ccls. and ((storage adj devices) with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L84	0	713/193.ccls. and ((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) same protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L85	0	705/51.ccls. and ((storage adj devices) with different with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L86	2	713/193.ccls. and ((storage adj devices) with different with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L87	2	"20030163724" or "20030154390"	US-PGPUB	OR	ON	2007/09/30 12:21
L88	42	((storage near2 devices) with (network near2 protocols)) same (media or connect\$3) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L89	752	((device with storage with (format or type or protocol) with collect\$4)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21

EAST Search History

L90	0	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols) and (collect with (content or media) with formats)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L91	0	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols) and (collection with (content or media) with formats)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L92	1	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols) and (collect\$4 with (content or media))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L93	0	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols with collect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L94	9	((content or media) with (host or system or computer or server) with formats with protocols with (collect\$4)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L95	11	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols with (receiv\$4 or collect\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L96	0	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols with (receiv\$4 or collect\$4) with server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L97	8	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols with (receiv\$4 or collect\$4) with (host or system or computer or server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L98	1	((content or media) with (host or system or computer or server)) and @ad < "20030728" and ((storage adj devices) with protocols with (collect\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21

EAST Search History

L99	170	((content or media) with (host or system or computer or server) with protocols with (collect\$4)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L100	2	("20020078180" or "20030023638")	US-PGPUB	OR	ON	2007/09/30 12:21
L101	3	("20020078180" or "20030154390" or "20030023638")	US-PGPUB	OR	ON	2007/09/30 12:21
L102	1	((storage adj device) with protocol) and weight.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L103	0	((content or media) with (host or system or computer or server)) and @ad < "20030728" and ((storage adj devices) with protocols with (receiv\$4 or collect\$4)) and weight.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L104	1	(storage with network with protocols) and weight.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L105	58	((content or media) with (host or system or computer or server)) and @ad < "20030728" and ((storage adj devices) with protocols with (receiv\$4 or collect\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L106	0	((storage adj device) with different with protocol) and weight.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L107	132797	((content or media) with conver\$6) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L108	0	L107 and ((storage adj devices) with protocols) and weight.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21

EAST Search History

L109	6	("20020078180" or "20030154390" or "20030023638")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L110	58	((content or media) with (host or system or computer or server)) and @ad < "20030728" and ((storage adj devices) with protocols with (receiv\$4 or collect\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L111	1	((storage adj device) with protocol) and weight.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
L112	3	("6279011" or "6665689").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 12:21
S1	6010	(device with storage with protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/29 14:46
S2	3498	((storage adj device) with protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 23:04
S3	249	((storage adj device) with different with protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 23:04
S4	107	((storage adj devices) with different with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 13:58
S5	1	S4 and (content near2 conver\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:16

EAST Search History

S6	3	S4 and (content with conver\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:21
S7	0	S4 and (content with conver\$6) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:00
S8	63	((storage adj devices) with different with protocols) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:00
S9	3	S8 and ((content or media) with conver\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:03
S10	2	S9 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:01
S11	129221	((content or media) with conver\$6) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:06
S12	117	S11 and (storage with devices with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:05
S13	61	S11 and ((storage adj devices) with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 23:05
S14	21	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 16:45
S15	0	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) near3 protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:07

EAST Search History

S16	21	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:15
S17	117	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with types)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/25 19:15
S18	55	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) same protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 13:57
S19	4	"20030182593" or "6232541".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/28 19:03
S20	2	"20050076388"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 11:25
S21	2	"20050027740"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/29 14:21
S22	47422	(device with storage with (format or type or protocol)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/29 14:48
S23	2849	S22 and (conver\$4 with (media or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/29 14:49
S24	23	S22 and (conver\$4 with (media or content) with (standard near2 (format or type)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 10:13
S25	47422	(device with storage with (format or type or protocol)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 10:13

EAST Search History

S26	23	S25 and (conver\$4 with (media or content) with (standard near2 (format or type)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 10:13
S27	0	S26 and (storage with network with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 10:14
S28	5258	(storage with network with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 23:05
S29	13	(storage with network with protocols with content with device with connect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 10:14
S30	8	(storage with network with protocols with content with device with connect\$3) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 10:49
S32	0	((storage near2 devices) with (network near2 protocols) with (stor\$4 near2 (according or bas\$3)) same (media or connect\$3)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 10:52
S33	0	((storage near2 devices) with (network near2 protocols) with (stor\$4 with (according or bas\$3)) same (media or connect\$3)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 10:52
S34	0	((storage near2 devices) with (network near2 protocols) with according) same (media or connect\$3) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 10:52
S35	36	((storage near2 devices) with (network near2 protocols)) same (media or connect\$3) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 13:56
S36	2	"20030154390"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 11:26

EAST Search History

S37	4	"20030163724" or "20030154390"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/30 13:57
S38	1	707/104.1.ccls. and ((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) same protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 13:58
S39	0	713/193.ccls. and ((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) same protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 13:58
S40	1	713/193.ccls. and ((storage adj devices) with different with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 14:00
S41	0	713/200.ccls. and ((storage adj devices) with different with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 13:59
S42	0	713/200.ccls. and ((storage adj devices) with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 13:59
S43	0	705/51.ccls. and ((storage adj devices) with different with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/31 14:00
S44	6818	(device with storage with protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S45	3956	((storage adj device) with protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S46	277	((storage adj device) with different with protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29

EAST Search History

S47	120	((storage adj devices) with different with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S48	0	S47 and (content with conver\$6) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S49	68	((storage adj devices) with different with protocols) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S50	3	S49 and ((content or media) with conver\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S51	2	S50 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S52	130948	((content or media) with conver\$6) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S53	124	S52 and (storage with devices with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S54	63	S52 and ((storage adj devices) with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S55	21	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S56	0	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) near3 protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29

EAST Search History

S57	21	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S58	128	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with types)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S59	56	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) same protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S60	1	S47 and (content near2 conver\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S61	3	S47 and (content with conver\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S62	4	"20030182593" or "6232541".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S63	2	"20050076388"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S64	2	"20050027740"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S65	48509	(device with storage with (format or type or protocol)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S66	2949	S65 and (conver\$4 with (media or content))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29

EAST Search History

S67	23	S65 and (conver\$4 with (media or content) with (standard near2 (format or type)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S68	48509	(device with storage with (format or type or protocol)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S69	23	S68 and (conver\$4 with (media or content) with (standard near2 (format or type)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S70	0	S69 and (storage with network with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S71	6007	(storage with network with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S72	14	(storage with network with protocols with content with device with connect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S73	9	(storage with network with protocols with content with device with connect\$3) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S74	0	((storage near2 devices) with (network near2 protocols) with (stor\$4 near2 (according or bas\$3)) same (media or connect\$3)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S75	0	((storage near2 devices) with (network near2 protocols) with (stor\$4 with (according or bas\$3)) same (media or connect\$3)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S76	0	((storage near2 devices) with (network near2 protocols) with according) same (media or connect\$3) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29

EAST Search History

S77	40	((storage near2 devices) with (network near2 protocols)) same (media or connect\$3) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 16:40
S78	2	"20030154390"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S79	4	"20030163724" or "20030154390"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 12:59
S80	1	707/104.1.ccls. and ((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) same protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:31
S81	0	713/200.ccls. and ((storage adj devices) with different with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S82	0	713/200.ccls. and ((storage adj devices) with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S83	0	713/193.ccls. and ((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) same protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S84	0	705/51.ccls. and ((storage adj devices) with different with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S85	2	713/193.ccls. and ((storage adj devices) with different with protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:29
S86	1	707/204.ccls. and ((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) same protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:31

EAST Search History

S87	0	707/10.ccls. and ((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) same protocols)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/18 10:31
S88	2	"20030163724" or "20030154390"	US-PGPUB	OR	ON	2007/01/18 12:59
S89	747	((device with storage with (format or type or protocol) with collect\$4)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 16:40
S90	41	((storage near2 devices) with (network near2 protocols)) same (media or connect\$3) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 16:41
S91	0	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols) and (collect with (content or media) with formats)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 16:45
S92	0	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols) and (collection with (content or media) with formats)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 16:46
S93	1	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols) and (collect\$4 with (content or media))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 16:47
S94	0	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols with collect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 16:48
S95	11	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols with (receiv\$4 or collect\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 16:48
S96	0	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols with (receiv\$4 or collect\$4) with server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 16:49

EAST Search History

S97	8	((content or media) near2 conver\$6) and @ad < "20030728" and ((storage adj devices) with protocols with (receiv\$4 or collect\$4) with (host or system or computer or server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 17:24
S99	1	((content or media) with (host or system or computer or server)) and @ad < "20030728" and ((storage adj devices) with protocols with (collect\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 17:27
S10 0	169	((content or media) with (host or system or computer or server) with protocols with (collect\$4)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 17:27
S10 1	9	((content or media) with (host or system or computer or server) with formats with protocols with (collect\$4)) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/29 17:27
S10 2	2	("20020078180" or "20030023638")	US-PGPUB	OR	ON	2007/07/01 09:17
S10 3	3	("20020078180" or "20030154390" or "20030023638")	US-PGPUB	OR	ON	2007/09/29 23:07
S10 4	58	((content or media) with (host or system or computer or server)) and @ad < "20030728" and ((storage adj devices) with protocols with (receiv\$4 or collect\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 23:01
S10 5	58	((content or media) with (host or system or computer or server)) and @ad < "20030728" and ((storage adj devices) with protocols with (receiv\$4 or collect\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 23:03
S10 6	0	((content or media) with (host or system or computer or server)) and @ad < "20030728" and ((storage adj devices) with protocols with (receiv\$4 or collect\$4)) and weight. inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 23:03
S10 7	1	((storage adj device) with protocol) and weight.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 23:04

EAST Search History

S108	0	((storage adj device) with different with protocol) and weight.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 23:04
S109	1	((storage adj device) with protocol) and weight.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 23:04
S110	129313	((content or media) with conver\$6) and @ad < "20030728"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 23:05
S111	0	S110 and ((storage adj devices) with protocols) and weight.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 23:05
S112	1	(storage with network with protocols) and weight.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/29 23:05
S113	6	("20020078180" or "20030154390" or "20030023638")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 11:05
S114	3	("6279011" or "6665689").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/30 11:08